

**ADVERTISEMENT FOR BIDS**  
**Southwest Suburban Sewer District**  
**9 Stub Repairs**

Notice is hereby given that Southwest Suburban Sewer District is accepting written proposals until **10:00 a.m., Wednesday, February 14<sup>th</sup> 2018**, for 9 stub repairs. There are nine locations to be lined or repaired. Proposals will be accepted at the District Office located at 431 SW Ambaum Blvd. Burien, WA 98166. Please use the attached District bid form. Please provide a separate bid for each job location. Questions can be directed to Ritch Schule at 206-432-3525

**THIS WORK TO INCLUDE (COMMON TO ALL 8 SITES)**

- Mobilization
- Traffic Control
- Density Testing (if required)
- Trench Safety Systems
- Temporary Erosion Control Systems
- Backfill shall be 100%, 1¼ minus mechanically compacted to a minimum 95%
- Asphalt patching shall be a minimum of 2" or match existing asphalt Patch shall have a 1 foot "T" cut after backfill
- Shoulder rock shall be 5/8 minus and shall be returned equal or better
- All lining to be installed to manufacturers specifications
- Pre/Post – Video
- 

**Site #1 Scope of Work 413 SW Normandy Rd.**

- Replace 6" Concrete portion of the 6" concrete stub to transition approx. With 9 feet SDR-35 6" pipe.
- Line approx. 30' feet of 6" sewer stub.
- Connection will be made with Romac Couplers.
- All necessary 6" PVC fittings to complete repair of sewer stub.
- 6" PVC clean out with cast iron ring and cover per SWSSD detail #9.
- Replace 4'X4' section of asphalt.
- <https://youtu.be/zdeTLd7cbJ8> <https://youtu.be/XAIEkImqvuo>
- Pre/Post –Video

**Site #2 Scope of Work 14232 2<sup>nd</sup> Ave. SW**

- 6" concrete spot repair located approximately 11 feet west of the sewer main.
- 3 foot Repair to be made with SDR 35 PVC pipe.
- Connections will be made with 2 6" concrete to 6" PVC Romac Couplers.
- Pre/Post-Video
- <https://youtu.be/NfGO96chM8A>

Site #3 15651 18<sup>th</sup> Ave. SW

- 34 feet of 6” concrete stub to be lined to the mainline.
- Access is from a 4’ clean out located in side sewer.
- 4X6 transition begins 70 feet from 4” clean out.
- 4” clean out is approx. 3 feet deep.
- Pre/Post-Video
- <https://youtu.be/Vt3gX-GbR7I>

Site #4 13425 4<sup>th</sup> Ave. SW

- 33 feet of 6” concrete stub to be lined to the mainline.
- Access from 4” clean out located in side yard.
- 4X6 transition begins 53 feet from 4” clean out.
- 4” clean out is approx. 3 feet deep.
- Pre/Post-Video
- <https://youtu.be/VRPrA3rcOOM>

Site #5 13254 2<sup>nd</sup> Ave. SW

- 33 feet of 6” concrete stub to be lined to the mainline.
- Access is from a 4” clean out that transitions form 6” concrete immediately. This is a twin service also serving 13248 2<sup>nd</sup> Ave. SW.
- 4” clean out is approx. 4 feet deep
- 6” lining to begin 61 feet from the clean out
- Pre/Post Video
- <https://youtu.be/9SFRfc1vN7s>

Site #6 10625 17<sup>th</sup> Ave SW

- 31 feet of 6” concrete stub to be lined.
- Access is from a 6” cleanout.
- Line from cleanout to main approx. 31 feet.
- 6” cleanout approx. 3 feet deep.
- Pre/Post-Video
- <https://youtu.be/qOuE95I7fRY>

**Site #7 1925 SW 167<sup>th</sup> ST**

- 38 feet of 6 inch concrete stub to be lined.
- Access from 4 inch cleanout inside garage or possible clean out 1.5 feet deep
- Pre/Post-Video
- [https://youtu.be/D1k\\_mnYSgRg](https://youtu.be/D1k_mnYSgRg)

**Site #8 1006 SW 124<sup>th</sup> St**

- 34 Feet of 6 inch concrete stub to be lined.
- Access from 4 inch clean out 100' away
- Pre/Post-Video
- <https://www.youtube.com/watch?v=yuLnTbYqJBU&t=71s>

**Site #9 515 SW 171<sup>st</sup> St.**

- 2 feet of 6" concrete pipe to be lined.
- Access is from a 4" clean out located in side sewer.
- 4X6 transition begins 34 feet from 4" clean out.
- Grout cavity in concrete "Tee"
- 4 feet of 8" concrete to be lined and top hat installed.
- Pre/Post-Video
- <https://youtu.be/y32D1Q5btRg>

Any damage sustained shall be the sole responsibility of the contractor and repaired at the contractor's cost.

**All appurtenances, dewatering, flow by-pass, 6" SDR 35 PVC, fittings, Romac couplers, 1¼ gravel backfill, 5/8 minus shoulder gravel, ½ HMA asphalt patch, materials disposal, traffic control and trench safety systems are considered to be incidental to the contract, therefore, include them in your bid.**

**Please remember, this is a municipal job and your proposal must also reflect prevailing wage.**

RON HALL – GENERAL MANAGER  
SOUTHWEST SUBURBAN

Name of Contractor: \_\_\_\_\_

To: Southwest Suburban Sewer District

1. Pursuant to and in compliance with your Advertisement for Bids and the other documents relating thereto, the undersigned Bidder, having familiarized itself with the terms of the project related to those items herein bid, being aware of the local conditions affecting the performance of a Contract covering the items bid, having familiarized itself with the Contract Documents, hereby proposes and agrees to perform the work and/or to furnish the equipment, and to furnish any and all of the labor, materials, tools, expendable equipment and all utility and transportation services necessary to perform a Contract covering any or all of those items herein bid and to complete in a workmanlike manner, all work covered by said Contract in connection with \_\_\_\_\_, for an amount computed upon the basis of the quantity of work actually performed at the bid prices presented on the bid form.
2. The undersigned Bidder hereby proposes and agrees to commence work under this Contract, if awarded to Bidder, on or before ten (10) consecutive calendar days after the issuance of the Owner's Notice to Proceed and agrees to **complete the entire Contract within three hundred (300) calendar days. The agreed liquidated damage to the Owner shall be Five Hundred Dollars and 00/100ths (\$500.00) for each calendar day over and above the stated number of days specified for completion of the Contract.** There shall be no exceptions or revisions to the stated time schedules without written notice from the Owner or as specifically provided in the Contract Documents. In addition to the overall project completion time period listed above, there are additional mile post dates that must be met (Refer to Section 01010).
3. The stated bid includes all use, compensating and other taxes except applicable Washington State sales tax which will be added to the moneys actually due the Contactor as outlined in the Contract Documents.
4. The Owner reserves the right to delete all or any portion of the work as outlined in the Contract Documents.
5. It is understood that the quantities for unit price bids are approximate only and are subject to either increase or decrease and are stated only for the purpose of comparing bids and fixing the amount of surety bonds, and payment shall be as described in Article III of the Agreement.
6. The required bid security in the amount of \$ \_\_\_\_\_ or % is hereto attached.
7. It is understood that the Contractor is responsible for obtaining and completing all required government forms.

Item No.	Quantity	Unit of Measurement	Item Description (Unit Price in Words)	Unit Price (figures)	Total Amount (figures)
A	1	LS	<b>Mobilization</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____
B		LF	<b>8-inch PVC Sewer Pipe</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____
C		LF	<b>5-inch HDPE Force Main – Open Cut</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____
D		LF	<b>5-inch HDPE Force Main - Sliplined</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____
E		LF	<b>12-inch Storm Sewer Pipe</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____
F		LS	<b>Abandonment of Existing 8-inch Sewer Pipe</b> <hr/> Dollars _____ Cents _____	\$ _____	\$ _____

G		EA	<b>Demolition of Existing Manholes</b> _____ Dollars Cents	\$ _____	\$ _____
H		EA	<b>Type I Manhole – 48-inch, 0-10 feet depth</b> _____ Dollars Cents	\$ _____	\$ _____
I		VF	<b>Type I Manhole – 48-inch, Extra Depth</b> _____ Dollars Cents	\$ _____	\$ _____
J		EA	<b>Type 1 Catch Basin</b> _____ Dollars Cents	\$ _____	\$ _____
K		TN	<b>Import backfill Material</b> _____ Dollars Cents	\$ _____	\$ _____
L		TN	<b>Foundation Material</b> _____ Dollars Cents	\$ _____	\$ _____
M		TN	<b>Shoulder Gravel</b> _____ Dollars Cents	\$ _____	\$ _____

N		TN	<b>Temporary Trench Patch</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
O		TN	<b>Permanent Trench Patch</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
P		LF	<b>Sawcutting</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
Q	1	LS	<b>Trench Excavation Safety System</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
R		LS	<b>Pump Station Modifications</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
S		LS	<b>Pump Station</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____
T		EA	<b>Grinder Pump Assemblies</b> <hr/> Dollars <span style="float: right;">Cents</span>	\$ _____	\$ _____

U		LF	<b>1 ¼ - inch Grinder Pump Discharge Pipe</b> _____ Dollars _____ Cents	\$ _____	\$ _____
V		EA	<b>Grinder Pump Connection</b> _____ Dollars _____ Cents	\$ _____	\$ _____
W	1	LS	<b>Temporary Erosion and Sedimentation Control</b> _____ Dollars _____ Cents	\$ _____	\$ _____
X	1	LS	<b>General Restoration</b> _____ Dollars _____ Cents	\$ _____	\$ _____
Y		EA	<b>Air Release Vault</b> _____ Dollars _____ Cents	\$ _____	\$ _____
Z		LF	<b>6-inch Side Sewer</b> _____ Dollars _____ Cents	\$ _____	\$ _____
AA		LF	<b>1-inch Water</b> _____ Dollars _____ Cents	\$ _____	\$ _____
<b>Contract Total (Price in numbers, without Washington State Sales Tax)</b>					\$ _____
<b>Contract Total (Price in words, without Washington State Sales Tax)</b>					



8. Receipt of the following Addenda to the Contract Documents is hereby acknowledged.

<u>Addendum No.</u>	<u>Date of Receipt of Addendum</u>	<u>Signed Acknowledgement</u>
1	_____	_____
2	_____	_____
3	_____	_____
4	_____	_____

(Note: Failure to acknowledge receipt of the addenda may be considered an irregularity in the proposal.)

9. The Contractor has conducted a site visit to the project location prior to completing the Bid Form.

Signed Acknowledgement \_\_\_\_\_

10. The undersigned Bidder herewith submits the names of subcontractors whose subcontract amount is more than ten percent of the total price bid with whom the Bidder, if awarded the contract, will subcontract for performance of portions of the work designated herein.

<u>Description of Work (Bidder to List)</u>	<u>Performed By</u>
_____	_____
_____	_____
_____	_____
_____	_____

11. Notice of Acceptance of this bid or request for additional information should be addressed to the undersigned at the address stated below:

NAME of BIDDER: \_\_\_\_\_

ADDRESS of BIDDER: \_\_\_\_\_

\_\_\_\_\_

Federal Taxpayer ID Number: \_\_\_\_\_

State Uniform Business ID Number: \_\_\_\_\_

State Contractor's License Number: \_\_\_\_\_

State Contractor's License Primary Classification: \_\_\_\_\_

The undersigned Bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date for this Project, the Bidder is not a "willful" violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48 or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through civil judgment entered by a court of limited or general jurisdiction.

I certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

**Official Authorized to Sign for Bidder**

"I certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct".	
Signature:	Date:
Print Name and Title:	Location or Place Executed (City, State)

**END OF SECTION**